


PNEUMATIC COUPLINGS
PNEUMATISCHE KUPPLUNGEN

SERIE 036-19B



Couplers and Plugs
Kupplungen und Nippel


Connection
Anschlüsse
Ø

Order No
Bestellnr.

SW


L

ØD





Female Thread Coupling
Kupplung mit Innengewinde

BSP 1"	036-19 EGB 33	46	95	50
BSP 1"	036-19 EGB 33-C	46	95	50
BSP 1"	036-19 EGB 33-S6	46	95	50
NPT 1"	036-19 NGB 33	46	95	50
NPT 1"	036-19 NGB 33-C	46	95	50
NPT 1"	036-19 NGB 33-S6	46	95	50
UNF 1-5/16"-12	036-19 UGB 33	46	95	50
UNF 1-5/16"-12	036-19 UGB 33-C	46	95	50
UNF 1-5/16"-12	036-19 UGB 33-S6	46	95	50



Female Thread Plug
Nippel mit Innengewinde

BSP 1"	036-19 EUB 33	46	85,5	
BSP 1"	036-19 EUB 33-C	46	85,5	
BSP 1"	036-19 EUB 33-S6	46	85,5	
NPT 1"	036-19 NUB 33	46	87,5	
NPT 1"	036-19 NUB 33-C	46	87,5	
NPT 1"	036-19 NUB 33-S6	46	87,5	
UNF 1-5/16"-12	036-19 UUB 33	46	85,5	
UNF 1-5/16"-12	036-19 UUB 33-C	46	85,5	
UNF 1-5/16"-12	036-19 UUB 33-S6	46	85,5	



Interchangeability - Kompatibilität

CEJN 704 - (TST 036.19)
CEJN 705 - (TST 036.19-C)
CEJN 706 - (TST 036.19-S6)

Temperature Range - Temperaturbereich
-20 °C +100 °C (-4 °F +212 °F)

Working Pressure - Betriebsdruck

036 - Brass - Messing: 35 Bar - (508 PSI)
036S6 - St. Steel - Edelstahl: 70 Bar - (1015 PSI)
036C - St. Steel - Edelstahl: 325 Bar - (4712 PSI)

Flow capacity - Nennweite
NW - 19

Material - Material - B
(Nickel Plated Brass - Messing Vernickelt)

Coupler Body - Kupplungsgrundkörper	: Brass Nickel Plated - Messing vernickelt
Sleeve - Hülse	: Brass Nickel Plated - Messing vernickelt
Valve - Ventil	: Brass - Messing
Springs - Federn	: Stainless Steel - Edelstahl
Balls - Kugeln	: Stainless Steel - Edelstahl
Seals - Dichtungen	: Fluorocarbon FPM (V)
Plug - Nippel	: Brass Nickel Plated - Messing vernickelt

Material - Material - S6
(Stainless Steel - Edelstahl (AISI- 316))

Coupler Body - Kupplungsgrundkörper	: Stainless Steel - Edelstahl (AISI- 316)
Sleeve - Hülse	: Stainless Steel - Edelstahl (AISI- 316)
Valve - Ventil	: Stainless Steel - Edelstahl (AISI- 316)
Springs - Federn	: Stainless Steel - Edelstahl
Balls - Kugeln	: Stainless Steel - Edelstahl
Seals - Dichtungen	: Fluorocarbon FPM (V)
Plug - Nippel	: Stainless Steel - Edelstahl (AISI- 316)

Material - Material - C
(Zinc Plated Steel - Stahl Verzinkt)

Coupler Body - Kupplungsgrundkörper	: Zinc Plated Steel - Stahl verzinkt
Sleeve - Hülse	: Steel - Stahl
Valve - Ventil	: Brass - Messing
Springs - Federn	: Stainless Steel - Edelstahl
Balls - Kugeln	: Stainless Steel - Edelstahl
Seals - Dichtungen	: Nitrile - NBR (Ni)
Plug - Nippel	: Steel Hardened Nickel Plated - Stahl gehärtet vernickelt